Page: 1/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 03.20.2020 Revision: 03.20.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: In-Cide v.5 · Article number: 100345

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture:

Disinfectant

Cleaning agent/ Cleaner

1.3 Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Theochem Laboratories 7373 Rowlett Park Drive Tampa, FL 33610

Phone: 813-237-6463



ChemTel Inc.

(800)255-3924, +1 (813)248-0585



SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to OSHA GHS regulations within the United States.

The product is not classified as hazardous according to the CLP regulation.

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

This product does not have a classification according to the CLP regulation.

The product is not classified as hazardous according to OSHA GHS regulations within the United States.

- · Hazard pictograms Not Regulated
- · Signal word Not Regulated
- · Hazard-determining components of labelling: None.
- · Hazard statements Not Regulated
- · Precautionary statements Not Regulated.
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0 Reactivity = 0

(Cont'd. on page 2)

Page: 2/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA **GHS**

Printing date: 03.20.2020 Revision: 03.20.2020

Trade name: In-Cide v.5

· HMIS-ratings (scale 0 - 4)

(Cont'd, from page 1)



• Health = 0 Fire = 0

- · 2.3 Other hazards There are no other hazards not otherwise classified that have been identified.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Components: None in reportable quantities.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

May cause gastro-intestinal irritation if ingested.

Nausea in case of ingestion.

Slight irritant effect on eyes.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents: None.

(Cont'd. on page 3)

Page: 3/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 03.20.2020 Revision: 03.20.2020

Trade name: In-Cide v.5

(Cont'd. from page 2)

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Use personal protective equipment as required.

- · 6.2 Environmental precautions No special measures required.
- · 6.3 Methods and material for containment and cleaning up

Wipe up small spills with paper towel and discard.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Use only in well ventilated areas.

Keep out of reach of children.

Avoid breathing mist/vapours/spray.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store in accordance with local/regional/national/international regulations.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Cont'd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA **GHS**

Printing date: 03.20.2020 Revision: 03.20.2020

Trade name: In-Cide v.5

(Cont'd, from page 3)

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

Wash hands before breaks and at the end of work.

· Respiratory protection:

Not required under normal conditions of use.

For spills, respiratory protection may be advisable.

· Protection of hands:



Protective gloves

Gloves are advised for repeated or prolonged contact.

Wear protective gloves to handle contents of damaged or leaking units.

- · Material of gloves Rubber gloves
- · Eye protection:



Safety glasses

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· Appearance

Form:

Liquid

Colour:

Blue

· Odour:

Pleasant

· Odour threshold:

Not determined.

· pH-value:

8,00-11,00

· Melting point/freezing point:

Not determined.

· Initial boiling point and boiling range: Not determined.

· Flash point:

Not applicable.

· Flammability (solid, gas):

Not applicable.

· Auto/Self-ignition temperature:

Decomposition temperature:

Not determined.

Explosive properties:

Product does not present an explosion hazard.

(Cont'd. on page 5)

Page: 5/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 03.20.2020 Revision: 03.20.2020

Trade name: In-Cide v.5

| | | (Cont'd. from page |
|-------------------------------------|--|---|
| Explosion limits | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapour pressure: | Not determined. | |
| Density: | | |
| Relative density: | 1,00-1,01 | |
| Vapour density: | Not determined. | |
| Evaporation rate: | Not determined. | |
| Solubility in / Miscibility with | | |
| water: | Fully miscible. | |
| Partition coefficient: n-octanol/wa | ter: Not determined. | 000000000000000000000000000000000000000 |
| Viscosity | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| 9,2 Other information | No further relevant information available. | |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Reacts with strong acids and oxidising agents.
- · 10.4 Conditions to avoid Avoid acids.
- · 10.5 Incompatible materials Strong acids.
- · 10.6 Hazardous decomposition products Possible in traces.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification: None.
- · Primary irritant effect
- · Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer):

(Cont'd. on page 6)

Page: 6/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 03.01.2017 Revision: 03.01.2017

Trade name: In-Cide v.5

(Cont'd. from page 5)

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable routes of exposure:

Ingestion.

Inhalation

Eye contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability Biodegradable
- · 12.3 Bioaccumulative potential Non significant accumulation in organisms
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Due to available data on eliminability/decomposition and bioaccumulation potential, a prolonged damage of the environment is unlikely.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of larger amounts in accordance with Local Authority requirements.

Can be disposed of with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

(Cont'd. on page 7)

Page: 7/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 03.01.2017 Revision: 03.01.2017

Trade name: In-Cide v.5

(Cont'd, from page 6)

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

| SECTION 14: Transport information | |
|--|-------------------------|
| 14.1 UN-Number DOT, ADR, IMDG, IATA | Not Regulated |
| 14.2 UN proper shipping name DOT, ADR, IMDG, IATA | Not Regulated |
| 14.3 Transport hazard class(es) | |
| DOT, ADR, IMDG, IATA Class | Not Regulated |
| 14.4 Packing group DOT, ADR, IMDG, IATA | Not Regulated |
| 14.5 Environmental hazards: Marine pollutant: | No |
| 14.6 Special precautions for user | Not applicable. |
| 14.7 Transport in bulk according to Anof Marpol and the IBC Code | nex II Not applicable. |

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- Chemicals known to cause cancer:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

64-17-5 ethanol

(Cont'd. on page 8)

Page: 8/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 03.01.2017 Revision: 03.01.2017

Trade name: In-Cide v.5

(Cont'd. from page 7)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

64-17-5 ethanol

· Carcinogenic Categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

· Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA)

EPA Product Registration #: 10324-85-9367.

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, using tobacco or using the toilet.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the

(Cont'd. on page 9)

Page: 9/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 03.01.2017 Revision: 03.01.2017

Trade name: In-Cide v.5

(Cont'd. from page 8)

Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING DISPOSAL: Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides. Triple rinse. After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations.

RESIDUE REMOVAL INSTRUCTIONS: Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

· IARC (International Agency for Research on Cancer)
Present in trace quantities.

64-17-5 ethanol

1

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

LDLo: Lowest Lethal Dose Observed

(Cont'd. on page 10)

Page: 10/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 03.01.2017 Revision: 03.01.2017

Trade name: In-Cide v.5

(Cont'd. from page 9)

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

SAFETY DATA SHEET

1. Identification

EPA REG NO 1839-220-33466

Product identifier

SC-RTU-360 DISINFETANT

Recommended use

Recommended restrictions

SPRAY DISINFECTANT

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name

Address

Spectral Chemical Co Inc

50 Minnesota Avenue, Unit 1

Warwick RI 02888

Telephone

401-921-2690

Emergency phone number

800-349-3525

2. Hazard(s) identification

Physical hazards

Not classified.

Health hazards

Serious eye damage/eye irritation

Category 2B

Environmental hazards

Hazardous to the aquatic environment, acute

Category 2

hazar

Hazardous to the aquatic environment,

Category 3

OSHA defined hazards

Not classified.

long-term hazard

Label elements

Hazard symbol

None.

Signal word

Warning

Hazard statement

Causes eye irritation. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention

Wash thoroughly after handling. Avoid release to the environment.

Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage

Store away from incompatible materials.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|--|--------------------------|------------|---------|
| Tetra sodium ethylenediamine tetra acetic acid (Na4 EDTA) | | 64-02-8 | 1 - < 3 |
| _Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride (Alternate CAS 68956-79-6) | | 85409-23-0 | 0.15 |

| | | C_{-1} |
|--|--|----------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| Chemical name | Common name and synonyms | CAS number | % |
|--|--------------------------|------------|----------|
| _Alkyl dimethyl benzyl a chloride (C12-18) | mmonium | 68391-01-5 | 0.15 |
| Other components below | w reportable levels | | 90 - 100 |

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Exposed individuals may experience eye tearing, redness, and discomfort.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed If the product is ingested, probable mucosal damage may contraindicate the use of gastric lavage. Treat the affected person appropriately.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Stay upwind. Ventilate closed spaces before entering. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Isolate area.

Methods and materials for containment and cleaning up

Prevent entry into waterways, sewers, basements or confined areas. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. Wash at the end of each work shift and before eating, smoking and using the toilet. Avoid breathing vapors or mists of this product.

Conditions for safe storage, including any incompatibilities DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. Store in original tightly closed container.

8. Exposure controls/personal protection

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Eve wash facilities and emergency

shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Wear protective gloves.

Other

Wear suitable protective clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state

Liquid.

Form

Liquid.

Color

Light Yellow

Odor

Lemon

Odor threshold

Not available.

11.9

Melting point/freezing point

Not available.

Initial boiling point and boiling

range

Not available.

Flash point

> 213.6 °F (> 100.9 °C)

Evaporation rate

Not available.

Not applicable.

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

Vapor density Relative density Not available. Not available.

Solubility(ies)

Solubility (water)

Not available.

Auto-ignition temperature

Not available.

Decomposition temperature

Not available.

Viscosity

Not available.

| | | * |
|--|--|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Other information

Density

8.41 lbs/gal

Explosive properties

Not explosive.

Oxidizing properties

Not oxidizing.

10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous

No dangerous reaction known under conditions of normal use.

reactions Conditions to avoid

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials

Strong acids, alkalies and oxidizing agents.

Hazardous decomposition

Upon decomposition, this product may yield oxides of nitrogen and ammonia, carbon dioxide,

products

carbon monoxide and other low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation

Prolonged inhalation may be harmful.

Skin contact

Causes mild skin irritation.

Eye contact

Causes eve irritation.

Ingestion

Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and

toxicological characteristics

Exposed individuals may experience eye tearing, redness, and discomfort.

Information on toxicological effects

Acute toxicity

Not available.

Skin corrosion/irritation

Causes mild skin irritation.

Serious eye damage/eye

Causes eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization

Not available.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not applicable.

Specific target organ toxicity -

Not applicable.

repeated exposure Aspiration hazard

Not applicable.

12. Ecological information

Ecotoxicity

Mobility in soil

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

Material name: SC-RTU 360 Cleaner Disinfectant

potential, endocrine disruption, global warming potential) are expected from this component.

PProduct code: 0621 Revision date: 04-16-2019 Print date: 03/03/2020

| | | .• |
|--|--|----|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

13. Disposal considerations

Disposal instructions

(for institutional products)

CONTAINER DISPOSAL - Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

General

[For information purposes only: Note - Shipper/offeror is responsible for confirming appropriate proper shipping name, hazard classification(s), packing group, marking, labeling, placarding, packaging, and other regulatory requirements applicable to packages offered for transport. These requirements may vary depending on the quantity of material, packaging, mode of transportation, and carrier.

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not established.

the IBC Code

15. Regulatory information

US federal regulations

This product is a U.S. EPA registered pesticide.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed

SARA 311/312 Hazardous

Yes

chemical

Classified hazard categories

Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

| | | ı |
|--|--|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on

the pesticide label:

Signal word

CAUTION

Hazard statement

Causes moderate eye irritation.

US state regulations

[For informational purposes only:

Subregistrants shall use a compliant California Proposition 65 safe harbor warning. A compliant safe harbor warning is provided below.

Subregistrant may elect not to use a safe harbor warning if it conducts an assessment which determines such ingredient falls below the threshold action level requiring warning under California Proposition 65. Subregistrant does so at its own risk and liability, and hereby agrees to indemnify and hold Stepan harmless for any claim, cause of action, or damages arising from such decision not to warn.

Note - the Proposition 65 precautionary word "WARNING" is inconsistent with the "DANGER" signal word required on the FIFRA label. "ATTENTION" or "NOTICE" are compliant with Proposition 65 and are acceptable in place of "WARNING" if EPA has approved that language on the product master label. 1

California Proposition 65



WARNING: This product can expose you to chemicals including Acetaldehyde, which is known to the State of California to cause cancer, and Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Acetaldehyde (CAS 75-07-0)

Listed: April 1, 1988

California Proposition 65 - CRT: Listed date/Developmental toxin

Ethylene Glycol (CAS 107-21-1)

Listed: June 19, 2015

International Inventories

| Country(s) or region | Inventory name On inventory (y | /es/no)* |
|-----------------------------------|---|----------|
| Australia | Australian Inventory of Chemical Substances (AICS) | No |
| Canada | Domestic Substances List (DSL) | No |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | No |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | No |
| New Zealand | New Zealand Inventory (NZIoC) | No |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | No |
| Taiwan | Taiwan Inventory (TCSI) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | No |
| *A "Von" indicator that all compo | nante of this product comply with the inventory requirements administered by the governing country(s) | |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

16. Other information, including date of preparation or last revision

Issue date

Draft version.

| | | i. |
|--|--|----|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

SAFETY DATA SHEET

Issuing Date No data available

Revision Date 02-Jul-2014

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name

Perfect Stainless

Other means of identification

Synonyms

None

Recommended use of the chemical and restrictions on use

Recommended Use

Metal polish

Uses advised against

No information available

Details of the supplier of the safety data sheet

Supplier Name Supplier Address The Hope Company 12777 Pennridge

Bridgeton MO 63044

Supplier Phone Number

US Phone:314-739-7254

Fax:314-739-7786 Contact Phone314-739-7254

Supplier Email

andrew@hopecompany.com

Emergency telephone number

2. HAZARDS IDENTIFICATION

Classification

This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

GHS Label elements, including precautionary statements

Emergency Overview



Signal word

None

Hazard Statements

None

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance White

Physical State Emulsion Liquid

Odor Lemon

Precautionary Statements - Prevention

Obtain special instructions before use

Precautionary Statements - Response

None

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

None

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

12.35% of the mixture consists of ingredient(s) of unknown toxicity

Other information

No information available

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

The product contains no substances which at their given concentration, are considered to be hazardous to health.

4. FIRST AID MEASURES

First aid measures

Eye Contact Rinse thorough

Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist,

call a physician.

Skin ContactWash skin with soap and water. In the case of skin irritation or allergic reactions

see a physician.

Inhalation Remove to fresh air. If symptoms persist, call a physician.



Revision Date 02-Jul-2014

Ingestion

Do NOT induce vomiting. Rinse mouth. If symptoms persist, call a physician.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact

No.

Sensitivity to Static Discharge

No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Avoid contact with eyes. Ensure adequate ventilation. Use personal protective equipment

as required.

Other Information

Refer to protective measures listed in Sections 7 and 8.

Environmental Precautions

Environmental Precautions

Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

eyes.

Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

Incompatible Products

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations Ventilation systems



Revision Date 02-Jul-2014

Individual protection measures, such as personal protective equipment

Eye/Face Protection

No special protective equipment required.

Skin and Body Protection

No special protective equipment required.

Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Appearance Color

Emulsion Liquid

White

No information available

Odor **Odor Threshold**

None known

Remarks/ Method

Lemon

No information available

Property Нq

Melting / freezing point Boiling point / boiling range Flash Point **Evaporation Rate**

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit

Lower flammability limit Vapor pressure Vapor density **Specific Gravity**

Water Solubility Solubility in other solvents Partition coefficient: n-octanol/waterNo data available Autoignition temperature **Decomposition temperature**

Kinematic viscosity Dynamic viscosity **Explosive properties Oxidizing Properties**

Values

No data available No data available No data available No data available

No data available

No data available No data available No data available No data available

No data available Soluble in water No data available No data available

No data available No data available No data available No data available

Other Information

Softening Point VOC Content (%) Particle Size

Particle Size Distribution

No data available

None known None known None known None known None known None known

No data available No data available

No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation Specific test data for the substance or mixture is not available.

Eye Contact Specific test data for the substance or mixture is not available. May cause irritation.

Skin Contact Repeated exposure may cause skin dryness or cracking.

Ingestion Specific test data for the substance or mixture is not available. Potential for aspiration if

swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema

and pneumonitis. May be fatal if swallowed and enters airways.

Component Information

Information on toxicological effects

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Asthma-like and/ or skin allergy-like

symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure



Sensitization

No information available.

Mutagenic Effects

No information available.

Carcinogenicity

Carcinogenic potential is unknown.

Reproductive Toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Chronic Toxicity

No known effect based on information supplied. Aspiration may cause pulmonary edema

and pneumonitis. Carcinogenic potential is unknown.

Target Organ Effects

Respiratory system.

Aspiration Hazard

No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 83,268.00 mg/kg **ATEmix (dermal)** 61,355.00 mg/kg (ATE)

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability

No information available.

Bioaccumulation

No information available

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 561

14. TRANSPORT INFORMATION

DOT NOT REGULATED NOT REGULATED

Proper Shipping Name NON REGULATED

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

<u>IATA</u> Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations



Revision Date 02-Jul-2014

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| Acute Health Hazard | No |
|-----------------------------------|----|
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

International Regulations

Canada

WHMIS Hazard Class

Non-controlled

16. OTHER INFORMATION

NFPA Health Hazards 1 Flammability 0 Instability 0 Physical and Chemical Hazards HMIS Health Hazards 1 Flammability 0 Physical Hazard 0 Personal Protection X

Prepared By Hope Company

12777 Pennridge Bridgeton, MO 63044

Revision Date 02-Jul-2014

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



SAFETY DATA SHEET

1. Identification

Product identifier HF™ Contact Cleaner

Other means of identification

Product code

03125

Recommended use

Electronic cleaner

Recommended restrictions

None known.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

Company name

CRC Industries, Inc.

Address

885 Louis Dr.

Warminster, PA 18974 US

Telephone

General Information

215-674-4300

Technical Assistance 800-521-3168

Customer Service

800-272-4620

24-Hour Emergency

800-424-9300 (US)

703-527-3887 (International)

(CHEMTREC)

www.crcindustries.com

2. Hazard(s) identification

Physical hazards

Website

Flammable aerosols

Category 1

Gases under pressure

Compressed gas

Health hazards

Skin corrosion/irritation

Category 2

Specific target organ toxicity, single exposure

Category 3 narcotic effects

Aspiration hazard

Category 1

Environmental hazards

OSHA defined hazards

Not classified. Not classified.

Label elements



Signal word

Hazard statement

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness.

Precautionary statement

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Do not apply while equipment is energized. Pressurized container: Do not pierce or burn, even after use. Extinguish all flames, pilot lights and heaters. Vapors will accumulate readily and may ignite. Avoid breathing mist or vapor. Use only with adequate ventilation, maintain ventilation during use and until all vapors are gone. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Avoid breathing gas. Wash thoroughly after handling. Wear protective gloves.

Response

If swallowed; Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin: Wash with plenty of water, If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for

breathing. Call a poison center/doctor if you feel unwell.

Storage

Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Exposure to high temperature may cause can to burst.

Disposal

Hazard(s) not otherwise classified (HNOC)

Dispose of contents/container in accordance with local/regional/national regulations.

None known.

3. Composition/information on ingredients

| Chemical name | Common name and synonyms | CAS number | % |
|---|--------------------------|------------|----------|
| Distillates (petroleum), hydrotreated light | | 64742-47-8 | 90 - 100 |
| Carbon dioxide | | 124-38-9 | 1 - 3 |

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. |
|--|---|
| Skin contact | Remove contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse. |
| Eye contact | Rinse with water. Get medical attention if irritation develops and persists. |
| Ingestion | Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Aspiration may cause pulmonary edema and pneumonitis. |
| Most important symptoms/effects, acute and delayed | Diarrhea. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of eyes and mucous membranes. Irritation of nose and throat. Skin irritation. May cause redness and pain. |
| Indication of immediate | Provide general supportive measures and treat symptomatically. Keep victim under observation. |

medical attention and special treatment needed

Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

| Suitable extinguishing media | Powder. Alcohol resistant foam. Dry chemicals. Carbon dioxide (CO2). |
|---|---|
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | Contents under pressure. Pressurized container may explode when exposed to heat or flame. |
| Special protective equipment and precautions for firefighters | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. |
| Fire-fighting equipment/instructions | In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. |

Containers should be cooled with water to prevent vapor pressure build up.

General fire hazards Extremely flammable aerosol.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. Avoid breathing mist or vapor. Avoid breathing gas. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. For product usage instructions, please see the product label.

Conditions for safe storage, including any incompatibilities

Oc

Level 3 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

| Components | Туре | Value | |
|----------------------------------|----------------|-------------------------|--|
| Carbon dioxide (CAS 124-38-9) | PEL | 9000 mg/m3 | |
| , | | 5000 ppm | |
| US. ACGIH Threshold Limit Valu | ies | | |
| Components | Туре | Value | |
| Carbon dioxide (CAS 124-38-9) | STEL | 30000 ppm | |
| , | TWA | 5000 ppm | |
| US. NIOSH: Pocket Guide to Che | emical Hazards | | |
| Components | Туре | Value | |
| Carbon dioxide (CAS 124-38-9) | STEL | 54000 mg/m3 | |
| | 0,22 | | |
| | | 30000 ppm | |
| | TWA | 30000 ppm 9000 mg/m3 | |
| Carbon dioxide (CAS 124-38-9) | | • • | |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Not available.

Skin protection

Hand protection

Wear protective gloves such as: Nitrile. Neoprene.

Other

Wear appropriate chemical resistant clothing.

Respiratory protection

Air monitoring is needed to determine actual employee exposure levels.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. Form Aerosol. Color Clear.

Odor Mild hydrocarbon. Odor threshold Not available. Not available. pН

Melting point/freezing point -72.4 °F (-58 °C) estimated 430 °F (221.1 °C) estimated Initial boiling point and boiling

range

Flash point 204 °F (95.6 °C) Tag Closed Cup

Evaporation rate Slow.

Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

0.6 % estimated

(%)

Flammability limit - upper

5.5 % estimated

(%)

1624.9 hPa estimated Vapor pressure

Vapor density 4.5 (air = 1) Relative density 0.82 estimated Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

456.8 °F (236 °C) estimated Auto-ignition temperature **Decomposition temperature** Not available.

Viscosity (kinematic) Not available. Percent volatile 97.2 % estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks. Avoid temperatures exceeding the flash point. Contact with incompatible

materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Ingestion May be fatal if swallowed and enters airways.

Inhalation Prolonged inhalation may be harmful. May cause drowsiness and dizziness. Headache. Nausea,

vomiting.

Skin contact Causes skin irritation.

Eye contact Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics Diarrhea. May cause drowsiness and dizziness. Headache. Nausea, vomiting, Irritation of nose and throat. Irritation of eyes and mucous membranes. Skin irritation, May cause redness and

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways. Narcotic effects.

1758 Version #: 01 Issue date: 05-19-2014

| Product | Species | | Test Results | | |
|---|---|---|---|--|--|
| HF™ Contact Cleaner | | | | | |
| Acute | | | | | |
| Dermal | | | | | |
| LD50 | Rabbit | | 2058.4412 mg/kg estimated | | |
| Inhalation | | | | | |
| LC50 | Rat | | 5.3519 mg/l, 4 Hours estimated | | |
| Oral | | | | | |
| LD50 | Rat | | 5146.103 mg/kg estimated | | |
| * Estimates for product may be | e based on a | dditional component data not shown. | | | |
| Skin corrosion/irritation | Causes ski | • | | | |
| Serious eye damage/eye | Direct conta | act with eyes may cause temporary irritat | ion. | | |
| rritation | | | | | |
| Respiratory sensitization | Not availab | le. | | | |
| Skin sensitization | This produc | ct is not expected to cause skin sensitizat | tion. | | |
| Germ cell mutagenicity | | ailable to indicate product or any compon or genotoxic. | ents present at greater than 0.1% are | | |
| Carcinogenicity | This produc | t is not considered to be a carcinogen by | / IARC, ACGIH, NTP, or OSHA. | | |
| Reproductive toxicity | This produc | ct is not expected to cause reproductive o | or developmental effects. | | |
| Specific target organ toxicity - single exposure | May cause drowsiness and dizziness. | | | | |
| Specific target organ toxicity - epeated exposure | Not classified. | | | | |
| Aspiration hazard | May be fatal if swallowed and enters airways. | | | | |
| Chronic effects | Prolonged inhalation may be harmful. | | | | |
| 12. Ecological information | _ | • | | | |
| Ecotoxicity | The produc | | ardous. However, this does not exclude the rmful or damaging effect on the environmen | | |
| Product | | Species | Test Results | | |
| HF™ Contact Cleaner | | | | | |
| Aquatic | | | | | |
| Acute | | | | | |
| | LC50 | Fish | 2.2643 mg/l, 96 hours estimated | | |
| Components | | Species | Test Results | | |
| Distillates (petroleum), hydroti | reated light (C | | | | |
| Aquatic | . | , | | | |
| Acute | | | | | |
| Fish | LC50 | Bluegill (Lepomis macrochirus) | 2.2 mg/l, 96 hours | | |
| | | | | | |
| • | | dditional component data not shown. | | | |
| Persistence and degradability | Not availab | | | | |
| Bioaccumulative potential | Not availab | | | | |
| Mobility in soil | No data av | | | | |
| Other adverse effects | No other ad | dverse environmental effects (e.g. ozone ndocrine disruption, global warming pote | depletion, photochemical ozone creation ntial) are expected from this component. | | |

residues / unused products

Empty container can be recycled. Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush. Dispose in accordance with all applicable regulations.

Not regulated. Hazardous waste code

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN number UN1950

UN proper shipping name Aerosols, flammable, Limited Quantity

Transport hazard class(es)

Class 2.1 Subsidiary risk Label(s) 2.1

Packing group Not applicable.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions N82 Packaging exceptions 306 Packaging non bulk None Packaging bulk None

IATA

UN number UN1950

UN proper shipping name Aerosols, flammable, Limited Quantity

Transport hazard class(es)

Class 2.1 Subsidiary risk

Not applicable. Packing group

Environmental hazards No. **ERG Code** 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo Allowed.

aircraft

Cargo aircraft only Allowed.

IMDG

UN1950 **UN number**

UN proper shipping name Transport hazard class(es)

AEROSOLS, LIMITED QUANTITY

Class

2 Subsidiary risk

Not applicable. Packing group

Environmental hazards

Marine pollutant No.

Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug

Not regulated.

Administration (FDA)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 311/312

Immediate Hazard - Yes

Hazard categories

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

US state regulations

US. New Jersey Worker and Community Right-to-Know Act

Carbon dioxide (CAS 124-38-9)

Distillates (petroleum), hydrotreated light (CAS 64742-47-8)

US. Massachusetts RTK - Substance List

Carbon dioxide (CAS 124-38-9)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon dioxide (CAS 124-38-9)

Distillates (petroleum), hydrotreated light (CAS 64742-47-8)

US. Rhode Island RTK

None.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Volatile organic compounds (VOC) regulations

EPA

VOC content (40 CFR

97.2 %

51.100(s))

Consumer products

Not regulated

(40 CFR 59, Subpt. C)

State

Consumer products

This product is regulated as an Electronic Cleaner. This product is compliant for use in all 50

states.

VOC content (CA)

0 %

VOC content (OTC)

0 %

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |

Country(s) or region

Inventory name

On inventory (yes/no)*

Philippines

Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

05-19-2014 Issue date Prepared by Allison Cho

Version #

01

Further information

CRC # 493A

HMIS® ratings

Health: 2

Flammability: 3 Physical hazard: 0

Personal protection: B

NFPA ratings

Health: 2

Flammability: 3 Instability: 0

Disclaimer

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety

professional, or CRC Industries.



SAFETY DATA SHEET

Prepared by Duro Dyne January 18, 2017

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade name:

DURO DYNE STRIPPER

Product Identifier:

DEGALVINIZER & LUBRICATING SPRAY

Item #:

27147

Supplier Details:

DURO DYNE CORPORATION

81 Spence Street

Bay Shore, NY 11706

Information

Phone No:

800-899-3876

Emergency Phone No:

800-424-9300 (CHEMTREC)

2. HAZARD IDENTIFICATIONS

Physical hazards

Flammable aerosols

Category 1

Health hazards

Not classified.

OSHA defined hazards

Label elements

Not classified.



Signal word

Danger

Hazard statement

Precautionary statement

Prevention

Extremely flammable aerosol.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not

pierce or burn, even after use.

Response

If exposed or concerned: Get medical advice/attention.

Storage

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal

Dispose of waste and residues in accordance with local authority

requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

| Chemical Name | Common Name and Synonyms | CAS Number | % |
|-----------------------|--------------------------|-------------------|--------|
| Propane | | 74-98-6 | 10-20 |
| Butane | | 106-97-8 | 2.5-10 |
| Zinc Alkyldithiophosp | hate | 68649-42-3 | 1-2.5 |
| Other components belo | w reportable levels | | 60-80 |

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Inhalation If symptoms develop move victim to fresh air. Get medical attention if symptoms

persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and

persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important Symptoms/effects acute and delayed Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Powder Carbon dioxide (CO2)

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

media

Specific hazards arising from the chemical

Contents under pressure Pressurized container may explode when exposed to heat

or flame. During fire, gases hazardous to health may be formed.

Special protective Equipment and

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Precations for firefighters

Fire fighting Equipment/instructions

Move containers from fire area if you can do so without risk Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.

General fire hazards

Extremely flammable aerosol.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away, Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials For containment and cleaning up Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. For waste disposal, see section 13 of the SDS

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. HANDLING AND STORAGE

Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, Level 3 Aerosol. including any incompatibilities

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value | |
|------------------------------------|---|--|--|
| Propane (CAS 74-98-6) | PEL | 1800 mg/m3 | |
| | | 1000 ppm | |
| US. ACGIH Threshold Li | mit Values | | |
| Commonants | T | \$7 - I | |
| Components Butane (CAS 106-97-8) | Type | Value | |
| Butane (CAS 100-97-8) | STEL | 1000 ppm | |
| US. NIOSH: Pocket Guide | e to Chemical Hazards | | |
| Components | Type | Value | |
| Butane (CAS 106-97-8) | TWA | 1900 mg/m3 | |
| | | 800 ppm | |
| Propane (CAS 74-98-6) | TWA | 1800 mg/m3 | |
| | | 1000 ppm | |
| | | | |
| Biological limit values | No biological exposure limits noted for | or the ingredient(s). | |
| Appropriate engineering Controls | Ventilation rates should be matched to enclosures local exhaust ventilation, o | o air changes per hour) should be used. o conditions. If applicable, use process or other engineering controls to maintain | |
| | been established, maintain airborne le | exposure limits. If exposure limits have not vels to an acceptable level. | |
| Individual protection mea | sures, such as personal protective equ | ipment | |
| Eye/face protection | Wear safety glasses with side shields | (or goggles). | |
| Skin protection Hand protection | Wear appropriate chemical resistant g by the glove supplier. | loves. Suitable gloves can be recommended | |
| Other | Wear suitable protective clothing. | | |
| Respiratory protection | If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. | | |
| Thermal hazards | Wear appropriate thermal protective c | lothing, when necessary. | |
| General hygiene considerations | as washing after handling the material | serve good personal hygiene measures, such and before eating, drinking, and/or smoking. etective equipment to remove contaminants. | |

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Gas.

Form Aerosol.

Color Not available. Odor Not available.

Odor threshold Not available. pН Not available.

Melting point/freezing point Not available.

Not available Initial boiling point

and boiling range

Flash point -156.0 °F (-104.4 °C) propellant estimated

Not available. **Evaporation** rate Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit – lower 1.1 % estimated

(%)

Flammability limit – upper 7.5 % estimated

(%)

Explosive limit – lower Not available.

(%)

Explosive limit - upper Not available.

(%)

Vapor pressure Not available. Vapor density Not available. Not available.

Relative density Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 500 °F (260 °C) estimated

Not available. **Decomposition temperature** Viscosity Not available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing. Specific gravity 0.782 estimated

10. STABILITY AND REACTIVITY

The product is stable and non-reactive under normal conditions of use, storage and Reactivity

transport.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Strong oxidizing agents. Nitrates. Fluorine. Chlorine. Incompatible materials No hazardous decomposition products are known. Hazardous decomposition

products

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

No adverse effects due to skin contact are expected. Skin contact

Direct contact with eyes may cause temporary irritation. Eve contact

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the Direct contact with eyes may cause temporary irritation.

physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity

| Components | Species | Test Results | |
|-----------------------|---------|------------------------|--|
| Butane (CAS 106-97-8) | | | |
| <u>Acute</u> | | | |
| Inhalation | | | |
| LC50 | Mouse | 1237 mg/1, Minutes | |
| | | 52%, 120 Minutes | |
| | Rat | 1355 mg/l | |
| Propane (CAS 74-98-6 | | | |
| Acute | | | |
| Inhalation | | | |
| LC50 | Mouse | 1237 mg/l, 120 Minutes | |
| | | 52 %, 120 Minutes | |
| | Rat | 1355 mg/l | |
| Components | Species | Test Results | |
| | | 658 mg/1/4h | |

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than

0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or

OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure

Not classified.

Specific target organ toxicity - repeated exposure

Not classified.

Aspiration hazard

Not likely, due to the form of the product.

12. COLOGICAL INFORMATION

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not

exclude the possibility that large or frequent spills can have a harmful or damaging

effect on the environment.

Components Species Test Results

Zinc Alkyldithiophosphate (CAS 68649-42-3)

Aquatic

Crustacea

EC50

Daphnia

1.25 mg/L, 48 Hours

Fish

LC50 ·

Fish

3, 96 Hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Butane

2.89

Propane

2.36

Mobility in soil

No data available

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected

from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructionCollect and reclaim or dispose in sealed containers at licensed waste

disposal site. Contents under pressure Do not puncture, incinerate or crush.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

^{*} Estimates for product may be based on additional component data not shown.

Hazardous waste codeThe waste code should be assigned in discussion between the user, the

producer and the waste disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings

even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty

containers.

14. TRANSPORT INFORMATION

DOT

UN number UN1950

UN proper shipping name Aerosols, flammable, (each not exceeding 1 L capacity)

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Read safety instructions, SDS and emergency procedures before handling.

Special provisionsN82Packaging exceptions306Packaging non bulkNonePackaging bulkNone

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

IATA

UN number UN1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es)

Class 2.1
Subsidiary risk Label(s) 2.1

Packing group Not applicable

Environmental hazards No. **ERG Code** 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Read safety instructions, SDS and emergency procedures before handling.

Other information Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions. **Packaging Exceptions** LTD QTY

IMDG

UN number UN proper shipping name

Transport hazard class(es) Class

Subsidiary risk

Label(s)

Packing group

Marine pollutant **Environmental hazards**

EmS

UN1950

AEROSOLS

2.1

2.1

Not applicable.

No.

F-D, S-U

Special precautions for user

Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

Packaging Exceptions

LTD QTY

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

DOT



IATA; IMDG



15. REGULATORY INFORMATION

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard -

No

Delayed Hazard -

No

Fire Hazard -

Yes

Pressure Hazard -

No No

Reactivity Hazard -

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No.

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

Safe Drinking Water Act

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code

Section 11100)

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22,

69502.3, subd.

(a))

Butane (CAS 106-97-8)

US. Massachusetts RTK - Substance List

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

US. New Jersey Worker and Community Right-to-Know Act

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

US. Rhode Island RTK

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

| Country(s) or reg | ion Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | No |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EIN | ECS) No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | No |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. OTHER INFORMATION

Prepared date January 6, 2017 Version # 02 Revision date: 1/18/17

THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE. BECAUSE SOME OF THE INFORMATION IS DERIVED FROM INFORMATION PROVIDED TO DURO DYNE CORPORATION FROM ITS SUPPLIERS, DURO DYNE CORPORATION MAKES NO WARRANTY, EXPRESSED OR IMPLIED, REGARDING THE ACCURACY OF THE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. SINCE THE USE OF THIS INFORMATION AND THE CONDITIONS AND USE OF THIS PRODUCT ARE CONTROLLED BY THE USER, IT IS THE USER'S OBLIGATION TO DETERMINE THE CONDITIONS OF SAFE USE OF THE PRODUCT. THE INFORMATION IS SUPPLIED FOR YOUR INFORMATION AND CONSIDERATION AND DURO DYNE CORPORATION ASSUMES NO RESPONSIBILITY FOR USE OR RELIANCE THEREON. IT IS THE RESPONSIBILITY OF THE USER OF DURO DYNE CORPORATION PRODUCTS TO COMPLY WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS.

| | | , | |
|---|--|---|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| , | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



Safety Data Sheet

Issue date 21-Jul-2020

Version 2

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name

CHAMPION'S CHOICE GALV-OFF

Chemical name

7-4357-1

Other means of identification

Product code

FG 438-5117-3

Synonyms

Galv-Off

Recommended use of the chemical and restrictions on use

Recommended Use

Remover of galvanizing buildup.

Uses advised against

See directions for use on product's label.

Details of the supplier of the safety data sheet

Supplier Address

Manufacturer Address

Chase Products Co.

Chase Products Co.

2727 Gardner Road

2727 Gardner Road

Broadview, IL 60155

Broadview, IL 60155

708-865-1000

708-865-1000

Emergency Telephone Number

Company Phone Number

708-865-1000

24 Hour Emergency Phone Number 1-800-255-3924

Emergency telephone

ChemTel 1-800-255-3924

2. Hazards Identification

Classification

| Acute toxicity - Inhalation (Gases) | Category 3 |
|---|---------------|
| Acute toxicity - Inhalation (Vapors) | Category 4 |
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 |
| Carcinogenicity | Category 1A |
| Aspiration toxicity | Category 1 |
| FLAMMABLE AÉROSOLS | Category 1 |
| Gases Under Pressure | liquefied gas |

Label Elements

EMERGENCY OVERVIEW

DANGER

hazard statements

Toxic if inhaled

May cause cancer

May be fatal if swallowed and enters airways

EXTREMELY FLAMMABLE AEROSOL

Contains gas under pressure; may explode if heated



Appearance Greenish-blue liquid

Physical State Aerosol

Odor Petroleum hydrocarbon odor.

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves, protective clothing, eye protection and face protection.

Avoid breathing fumes, mist, vapors or spray.

Use only outdoors or in a well-ventilated area

Keep away from heat, sparks, open flames and hot surfaces. — No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment: See additional cautionary statements on this label.

Call a POISON CENTER or doctor/physician

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

- Other Information

 Toxic to aquatic life with long lasting effects
- · Toxic to aquatic life

No information available

3. Composition/information on Ingredients

Synonyms Chemical Family

Galv-Off. MIXTURES. 7-4357-1

Formula

| Chemical name | CAS No | weight-% | Trade secret |
|---|------------|----------|--------------|
| Hydrotreated Heavy Naphthenic Oil | 64742-52-5 | 35-40 | * |
| Petroleum distillates, hydrotreated light | 64742-47-8 | 35-40 | * |
| Propane | 74-98-6 | 15-20 | * |
| n-butane | 106-97-8 | 5-10 | * |
| Ethylbenzene | 100-41-4 | <1 | * |

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

FG 438-5117-3 CHAMPION'S CHOICE GALV-OFF

FIRST AID MEASURES

Eye Contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advise.

Inhalation If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an

ambulance, then provide artifical respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advise.

Ingestion Ingestion from an aerosol product is unlikely to occur. Contains petroleum distillates.

Harmful if swallowed. If accidentally swallowed, do not induce vomiting, call physician

immediately.

Most important symptoms and effects, both acute and delayed

Symptoms Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness

and nausea. Prolonged and repeated contact with skin may cause irritation and reddening.

Contact with eyes causes irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Contains petroleum distillates, do not induce vomiting because of aspiration neumonia

hazard.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may release carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure. This product is extremely flammable. Keep away from heat,

sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static

electricity).

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use in well-ventilated area ONLY. NOTICE: Reports have associated repeated and

prolonged occupational over exposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. To avoid breathing vapor or spray mist open windows and doors or use other means to ensure fresh air entry during application and drying. If you experience eye watering, headaches, or dizziness, increase fresh air or wear an appropriate, properly

FG 438-5117-3 CHAMPION'S CHOICE GALV-OFF

fitted respirator (NIOSH approved), or leave the area. NOTE: Follow respirator

manufacturer's instructions carefully for respirator use.

For emergency responders

Remove all sources of ignition.

Environmental precautions

Environmental precautions

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment

Provide adequate ventilation to area being treated. Soak up spills with chemically inert,

absorbent material.

Methods for cleaning up

Clean contaminated surface thoroughly.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling

Handle as an extremely flammable material. Avoid contact with skin, eyes and clothing.

Store cans in a cool, dry place away from heat and open flame.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity). AEROSOL STORAGE LEVEL III (NFPA-30B).

Incompatible Materials

Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines

See occupational exposure limits listed below.

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------------|--|---|---|
| Propane 74-98-6 | : See Appendix F: Minimal Oxygen Content, explosion hazard | TWA: 1000 ppm TWA: 1800 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³ | IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³ |
| n-butane 106-97-8 | STEL: 1000 ppm explosion hazard | (vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m³ | IDLH: 1600 ppm TWA: 800 ppm TWA: 1900 mg/m³ |
| Ethylbenzene 100-41-4 | TWA: 20 ppm | TWA: 100 ppm TWA: 435 mg/m³ (vacated) TWA: 100 ppm (vacated) TWA: 435 mg/m³ (vacated) STEL: 125 ppm (vacated) STEL: 545 mg/m³ | IDLH: 800 ppm TWA: 100 ppm TWA: 435 mg/m³ STEL: 125 ppm STEL: 545 mg/m³ |

Appropriate engineering controls

Engineering controls

Use with adequate general or local exhaust ventilation. Use in a well-ventilated area only .

Individual protection measures, such as personal protective equipment

Eye/face Protection

Conventional eyeglasses to guard against splashing.

Skin and Body Protection

Neoprene or vinyl gloves required.

Respiratory protection

Use in well-ventilated area ONLY. NOTICE: Reports have associated repeated and prolonged occupational over exposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents

can be harmful or fatal. To avoid breathing vapor or spray mist open windows and doors or use other means to ensure fresh air entry during application and drying. If you experience eye watering, headaches, or dizziness, increase fresh air or wear an appropriate, properly fitted respirator (NIOSH approved), or leave the area. NOTE: Follow respirator manufacturer's instructions carefully for respirator use.

General hygiene considerations

Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State

Appearance

Aerosol

Greenish-blue liquid

Odor

Petroleum hydrocarbon

odor.

Color

Greenish-blue liquid

Odor threshold

Remarks • Method

Solvent-based product.

No information available

No information available

No information available

No information available

Property

На Melting point/freezing point Boiling point/boiling range

Flash Point

Evaporation Rate Flammability (solid, gas) Values

Not applicable Not applicable

Naphthenic Distillated 550 °F/288 °C Not Available. This is an aerosol product for which Flame Projection is over 18 inches with 8 in flashback. Temperatures above 120 °F may

cause cans to burst.

Faster than butyl acetate

No information available No information available No information available

No information available

Upper flammability limits Lower Flammability Limit

Flammability Limits in Air

Vapor pressure Vapor Density Relative Density

Water solubility Solubility in other solvents

Partition coefficient Autoignition Temperature Decomposition temperature Kinematic viscosity

Dynamic viscosity

Explosive properties Oxidizing properties

0.815 concentrate

Not available

Not available

Insoluble in water

No information available No information available

No information available No information available

Other Information

Softening point Molecular weight VOC content (%)

Density **Bulk Density** No information available No information available

No information available

No information available

62.75 6.79 b/gal

No information available

10. Stability and Reactivity

Reactivity

Not applicable

No data available

Chemical stability

Stable.

FG 438-5117-3 CHAMPION'S CHOICE GALV-OFF

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on likely routes of exposure

Product Information

This product has not been tested as whole. See below for information on ingredients.

Inhalation

No data available.

Eye Contact

No data available.

Skin contact

No data available.

Ingestion

No data available.

| Chemical name | Oral LD50 | dermal LD50 | Inhalation LC50 |
|--|--------------------|--------------------------|---------------------------|
| Hydrotreated Heavy Naphthenic Oil 64742-52-5 | > 5000 mg/kg (Rat) | > 2000 mg/kg(Rabbit) | - |
| Petroleum distillates, hydrotreated light 64742-47-8 | > 5000 mg/kg(Rat) | > 2000 mg/kg(Rabbit) | > 5.2 mg/L (Rat)4 h |
| Propane 74-98-6 | - | _ | > 800000 ppm (Rat) 15 min |
| n-butane 106-97-8 | | - | = 658 g/m³ (Rat)4 h |
| Ethylbenzene 100-41-4 | = 3500 mg/kg (Rat) | = 15400 mg/kg (Rabbit) | = 17.4 mg/L (Rat) 4 h |

Information on toxicological effects

Symptoms

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Serious eye damage/eye irritation irritation

corrosivity

sensitization Germ cell mutagenicity

Carcinogenicity

May cause skin irritation and reddening after prolonged or repeated contact with skin. Irritating to eyes.

May cause skin and eye irritation.

Not applicable.

No information available. No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen. Contains less than 1% ethyl benzene; IARC has evaluated and classified ethyl benzene as a possibly human carcinogen (group 2B) based on sufficient evidence of carcinogenicity in animals, but inadequate evidence for cancer in exposed humans.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|--|-------|----------|-------|------|
| Hydrotreated Heavy Naphthenic Oil 64742-52-5 | A2 | Group 1 | Known | X |
| Ethylbenzene | A3 | Group 2B | | X |

FG 438-5117-3 CHAMPION'S CHOICE GALV-OFF

100-41-4

Reproductive toxicity STOT - single exposure No information available. No information available. No information available.

STOT - repeated exposure **Chronic Toxicity**

Xylene has been associated with kidney and liver disorders. IARC has evaluated and classified ethyl benzene as a possibly human carcinogen (group 2B) based on sufficient evidence of carcinogenicity in animals, but inadequate evidence for cancer in exposed

Aspiration Hazard

No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)

13605 mg/kg

ATEmix (dermal)

5442 mg/kg

ATEmix (inhalation-gas)

933 mg/l

ATEmix (inhalation-dust/mist)

4.1 mg/l

ATEmix (inhalation-vapor)

14 mg/l

12. Ecological Information

ecotoxicity

6.1 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical name | Algae/aquatic plants | Fish | Toxicity to Microorganisms | Crustacea |
|--|--|---|--|--|
| Hydrotreated Heavy Naphthenic Oil 64742-52-5 | | 5000: 96 h Oncorhynchus mykiss mg/L LC50 | | 1000: 48 h Daphnia magna mg/L EC50 |
| Petroleum distillates, hydrotreated light 64742-47-8 | | 2.2: 96 h Lepomis macrochirus mg/L LC50 static 45: 96 h Pimephales promelas mg/L LC50 flow-through 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static | | 4720: 96 h Den-dronereides heteropoda mg/L LC50 |
| Ethylbenzene 100-41-4 | 2.6 - 11.3: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 1.7 - 7.6: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 438: 96 h Pseudokirchneriella subcapitata mg/L EC50 4.6: 72 h Pseudokirchneriella subcapitata mg/L EC50 | 32: 96 h Lepomis macrochirus mg/L LC50 static 7.55 - 11: 96 h Pimephales promelas mg/L LC50 flow-through 11.0 - 18.0: 96 h Oncorhynchus mykiss mg/L LC50 static 4.2: 96 h Oncorhynchus mg/L LC50 semi-static 9.6: 96 h Poecilia reticulata mg/L LC50 static 9.1 - 15.6: 96 h Pimephales promelas mg/L LC50 static | EC50 = 9.68 mg/L 30 min EC50 = 96 mg/L 24 h | 1.8 - 2.4: 48 h Daphnia magna mg/L EC50 |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

| Chemical name | Partition coefficient |
|--------------------------|-----------------------|
| Propane 74-98-6 | 2.3 |
| n-butane 106-97-8 | 2.89 |
| Ethylbenzene 100-41-4 | 3.2 |

Other adverse effects

No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastes

Dispose of in accordance with federal, state and local regulations.

Contaminated packaging

Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your

local solid waste agency for disposal instructions.

| Chemical name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------|------|---------------------------|------------------------|------------------------|
| Ethylbenzene | | Included in waste stream: | | |
| 100-41-4 | | F039 | | |

| Chemical name | California Hazardous Waste Status |
|---------------|-----------------------------------|
| Ethylbenzene | Toxic |
| 100-41-4 | Ignitable |

14. Transport Information

DOT

UN/ID no

Limited Quantity

Proper Shipping Name

Consumer Commodity

Hazard Class

ORM-D

<u>IATA</u>

UN/ID no

UN1950

Proper Shipping Name

Aerosols, flammable

Hazard Class

2.1

IMDG

UN/ID no

UN1950

Proper Shipping Name

Aerosols, flammable

Hazard Class

2.1

Marine pollutant

This product contains chemicals that are listed as marine pollutants.

15. Regulatory information

International Inventories

TSCA

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

DSL

Subtances Control Act (TSCA) Chemical Substance Inventory.
All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

FG 438-5117-3 CHAMPION'S CHOICE GALV-OFF

| Chemical name | CAS No | weight-% | SARA 313 - Threshold Values % |
|-------------------------|----------|----------|----------------------------------|
| Ethylbenzene - 100-41-4 | 100-41-4 | <1 | 0.1 |

SARA 311/312 Hazard Categories

Acute Health Hazard yes
Chronic Health Hazard yes
Fire Hazard yes
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Ethylbenzene 100-41-4 | 1000 lb | X | X | X |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------|--------------------------|----------------|--------------------------|
| Ethylbenzene | 1000 lb | | RQ 1000 lb final RQ |
| 100-41-4 | | | RQ 454 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical name | California Proposition 65 |
|-------------------------|---------------------------|
| Ethylbenzene - 100-41-4 | carcinogen |

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|--------------------------|------------|---------------|--------------|
| Propane 74-98-6 | X | X | X |
| n-butane 106-97-8 | X | X | X |
| Ethylbenzene 100-41-4 | X | Х | X |

U.S. EPA Label information

EPA Pesticide registration number Not applicable

| | | | 16. Other informatio | n | |
|-----------------------------------|------------------------------|---------------|---|------------------------------|---|
| NFPA | Health Hazar | ds 2 | Flammability 4 | Instability 1 | Physical and chemical properties Not applicable |
| HMIS Chronic Hazard Star Leger | Health Hazar and S | | Flammability 4 1: TOXICOLOGICAL INFORI | Physical hazards 1 MATION | Personal Protection B |
| Donation of the | - | Danislatani F |) - u - utus - u t | | |

Prepared by

Regulatory Department

Issue date

21-Jul-2020

Revision note

This SDS supersedes a previous SDS dated August 03, 2015.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

laterial Safety Data Sheet: Simple Green® Naturals™ Dilutable Concentrated Cleaner

Version No. 12301-11A

Date of Issue: May 2011

ANSI-Z400.1-2003 Format

Section 1: PRODUCT & COMPANY IDENTIFICATION

Product Name:

Simple Green Naturals™ Dilutable Concentrated Cleaner

Additional Names:

Simple Green Naturals™ Dilutable

Manufacturer's Product Code Numbers:

12301 = 48 oz. bottle

Company:

Sunshine Makers, Inc.

15922 Pacific Coast Highway

Huntington Harbour, CA 92649 USA

Telephone:

800-228-0709 • 562-795-6000

Fax:

562-592-3830

Emergency Phone:

800-220 0703 - 302 733 0000

Chem-Tel 24-Hour Emergency Service: 800-225-3924

Use of Product:

A ready-to-use cleaner that can be safely sprayed, wiped or mopped onto hard, washable surfaces.

Section 2: HAZARDS IDENTIFICATION

NONHAZARDOUS

Simple Green® Naturals Multi-Surface Care is a clear to pale-straw colored liquid with a light lemon-herbal odor. It is non-flammable, non-combustible, non-explosive, and non-reactive.



NFPA/HMIS Rating:

Health, Fire, Reactivity, and Special = 0 = minimal

Eve Contact:

No adverse effects expected under typical use conditions.

Skin Contact:

No adverse effects expected under typical use conditions. Prolonged, continuous exposure may cause dryness. Under this

condition, use of gloves, or skin moisturizer after washing, may be indicated.

Ingestion:

May cause stomach or intestinal upset if swallowed (due to detersive properties.)

Inhalation:

No adverse effects expected under typical use conditions.

Carcinogens:

No ingredients are listed by OSHA, IARC, or NTP as known or suspected carcinogens.

Medical Conditions:

No medical conditions are known to be aggravated by exposure to this product.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Substances Present:

None

•Ingredient disclosure is given on product label for consumer satisfaction

Reportable Substances Present:

None

and is not indicative of any hazards.

Section 4: FIRST AID MEASURES

If in eyes:

Flush with plenty of water. After 5 minutes of flushing, remove contact lenses, if present. Continue flushing for at least 10 more minutes, moving lower and upper eyelids away from eye to flush out all product. If irritation persists beyond 12 hours after

contact, seek medical attention.

If ingested:

Drink plenty of water to dilute. Stomach or intestinal upset may occur due to detersive properties.

Section 5: FIRE FIGHTING MEASURES

This product is non-flammable, non combustible, and non-explosive. Any form of extinguishing media may be used on and around this product.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear eye protection if splashing or misting is likely to occur. Do not rub eyes with hands during cleanup. No special precautions for dermal contact are needed. Wash hands thoroughly after cleaning up spill or leak.

Procedure to follow in case of spill or leak: Evacuate area. Identify source of leak or spill and contain with sand, earth, or containment bin. Then proceed to clean up spill or leak.

Method for cleaning up: Recover all reusable material. Rinse area with plenty of water and mop to sanitary sewer.

Material Safety Data Sheet: SIMPLE GREEN® NATURALS™ DILUTABLE CONCENTRATED CLEANER

Pg 1 of 3

Material Safety Data Sheet: Simple Green® Naturals™ Dilutable Concentrated Cleaner

Version No. 12301-11A Date of Issue: May 2011

ANSI-Z400.1-2003 Format

Section 7: HANDLING AND STORAGE

No special handling is required. Avoid contact with eyes. Wash hands thoroughly after handling.

Keep in a closed plastic or stainless steel container. Store at ambient temperature. Avoid excessive heat.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye contact: Access to eye bath or water source is recommended in case of eye contact. Thoroughly wash hands after

contact to prevent hand to eye transference.

Eye protection Goggles or other eye protection are generally not needed under normal use conditions.

Skin protection: Gloves or other skin protection are generally not needed under normal use conditions. Prolonged soaking in

the product, pre-existing skin conditions such as dermatitis, or allergic response to contact with the product

may warrant the use of gloves, barrier creams, chemical aprons or other skin protection.

General hygiene conditions: There are no known hazards associated with this material when used as recommended.

The following general hygiene considerations are recognized as common good industrial hygiene practices:

- Avoid breathing vapor or mist.

- Avoid contact with eyes.

- Wash thoroughly after handling and before eating, drinking, or smoking.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

| Appearance: | Translucent Clear to Pale-Straw Colored Liquid | | | | |
|-----------------------|--|-------------------|-----------------|--|--|
| Odor: | Mild citrus mint scent added | Flash Point: | None | | |
| Specific Gravity: | 1.01 ± 0.015 | Flame Extension: | · N/A | | |
| рН: | 11 ± 0.5 | Density: | 8.3 lbs/gal | | |
| Freezing Point: | Approx 32°F / 0°C | Boiling Point: | ≥ 212°F / 100°C | | |
| Nutrient Content: | Phosphorous/Phosphates:0 (by formula) | Water Solubility: | 100% | | |
| VOCs: (Percent Volati | les by Volume) = < 0.5% | | | | |

Section 10: STABILITY AND REACTIVITY

Stability: Stable
Materials to Avoid: None I

Materials to Avoid:

Hazardous Decomposition Products:

None known

None expected

Section 11: TOXICOLOGICAL INFORMATION

Values have been calculated from the known toxicity of ingredients using Calculation from OECD series on testing and assessment number 33, Chapter 3.2. No animal tests were performed on this product

Acute Toxicity: Oral LD₅₀>5g/kg body weight Dermal LD₅₀>2 g/kg body weight

Eye Irritation: Mild reversible eye irritation may occur. This potential is reduced by immediate rinsing of eyes in case of eye contact.

Dermal Irritation: Not expected.

Allergic Reaction: Based on knowledge of ingredients, this product has no overt potential to create skin allergy or allergic reaction.

Repeat Exposure Via Skin Contact: Skin irritation not expected.

Material Safety Data Sheet: Simple Green® Naturals™ Dilutable Concentrated Cleaner

Version No. 12301-11A

Date of Issue: May 2011

ANSI-Z400.1-2003 Format

Section 12: ECOLOGICAL INFORMATION

Hazard to wild mammals:

None, based on ingredient information

Hazard to avian species:

None, based on ingredient information

Hazard to aquatic organisms:

None, based on ingredient information

Chemical Fate Information:

Ingredients of this product are all 100% naturally derived and because all are readily biodegradable, mixture

as a whole can be said to be biodegradable.

When used according to label instructions and disposed of according to prevailing laws, ingredients of this product will not cause endocrine disruption, will not bio-accumulate, and will not pollute water tables.

Section 13: DISPOSAL CONSIDERATIONS

Unused Product:

*Dilute with water and dispose by sanitary sewer or septic system.

Empty Container:

*Product residues can be completely removed by rinsing with water. This container should be recycled (#2 PET

plastic) or applied to other uses. Trigger spray-head should be reused or submitted separately for recycling.

Section 14: TRANSPORT INFORMATION

IATA Proper Shipping Name: Detergent solution

Hazard Class: Nonhazardous

Section 15: REGULATORY INFORMATION

Reportable components:

None

RCRA Status:

Not a hazardous waste.

All components are listed on:

EINECS & TSCA Inventory

CERCLA Status:

No components listed

No components listed under:

Clean Air Act

CA PROP. 65 Status:

No components listed

TSCA TIR Reporting:

Not required / Not listed

NJRTK:

No components listed

WHMIS Classification - Not classified

Name None Toxic Substances List – Schedule 1 – CEPA

(Canadian Environmental Protection Act)

No

NPRI Inventory

No

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by Canada's Controlled Products Regulation.

Section 16: OTHER INFORMATION

Questions about the information found on this MSDS should be directed to:

SUNSHINE MAKERS, INC. - TECHNICAL DEPARTMENT 15922 Pacific Coast Hwy. Huntington Harbour, CA 92649

Phone: 800/228-0709 [8am-5pm Pacific time, Mon-Fri]

Fax: 562/592-3830

Email: infoweb@simplegreen.com

DISCLAIMER: The information provided with this MSDS is furnished in good faith and without warranty of any kind. Personnel handling this material must make independent determinations of the suitability and completeness of information from all sources to assure proper use and disposal of this material and the safety and health of employees and customers. Sunshine Makers, Inc. assumes no additional liability or responsibility resulting from the use of, or reliance on this information.

^{*}Dispose of used or unused product, and empty containers in accordance with the local, State, Provincial, and Federal regulations for your location. It is a violation of Federal law to allow any cleaner (fresh or used) to enter into lakes, streams, and open bodies of water or into storm drains.

(: (' : •

SAFETY DATA SHEET



1. Identification

Product identifier LPS® CFC Free (Aerosol)

Other means of identification

Part Number 03116

Recommended use A fast drying industrial cleaning solvent designed to remove soil and other contaminants.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Manufacturer

Company name

name ITW Pro Brands

Address 4647 Hugh Howell Rd.

Tucker, GA 30084

Country

(U.S.A.)

Tel: +1 770-243-8800

In Case of Emergency

1-800-424-9300 (inside U.S.)

+001 703-527-3887 (outside U.S.)

Website

www.lpslabs.com

E-mail

lpssds@itwprobrands.com

2. Hazard(s) identification

Physical hazards Flammable aerosols

Category 1

Gases under pressure

Compressed gas

Aealth hazards

Skin corrosion/irritation

Category 2

Serious eye damage/eye irritation

Category 2A

Reproductive toxicity (fertility)

Category 2

Specific target organ toxicity, single exposure

Category 3 narcotic effects

Environmental hazards

OSHA defined hazards

Not classified. Not classified.

Label elements



Signal word

Danger

Hazard statement

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness.

Precautionary statement

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Response

IF exposed or concerned: Get medical advice/attention. If on skin: Wash with plenty of water/soap. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Material name: LPS® CFC Free (Aerosol)

Storage Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a

well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Hazard(s) not otherwise Dispose of contents/container in accordance with local/regional/national/international regulations.

classified (HNOC)

None known.

upplemental information لُـ

None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|-----------------|--------------------------|------------|---------|
| 2-Methylpentane | | 107-83-5 | 70 - 80 |
| Isopropanol | | 67-63-0 | 5 - 15 |
| Pentane | | 109-66-0 | 1 - 10 |
| Carbon Dioxide | | 124-38-9 | 1 - 5 |
| N-Hexane | | 110-54-3 | 0.1 - 1 |

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Call a physician if symptoms develop or persist.

Wash off immediately with soap and plenty of water while removing all contaminated clothes and Skin contact

shoes. Get medical attention if irritation develops and persists.

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Eye contact

Call a physician or Poison Control Center immediately.

Ingestion Call a physician or poison control center immediately. Only induce vomiting at the instruction of

medical personnel. Never give anything by mouth to an unconscious person. If vomiting occurs,

keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed

Irritation of eyes and mucous membranes. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Defatting of the skin. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Narcosis. Behavioral changes. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Alcohol resistant foam. Water fog. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

By heating and fire, harmful vapors/gases may be formed. Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk. In the event of fire and/or explosion do not breathe fumes.

heneral fire hazards

Extremely flammable aerosol.

Material name: LPS® CFC Free (Aerosol)

SDS US

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Consider initial downwind evacuation for at least 500 meters (1/3 mile). Immediately evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Use foam to blanket spilled material. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

7. Handling and storage

Precautions for safe handling

Should be handled in closed systems, if possible. Vapors may form explosive mixtures with air. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Use non-sparking tools and explosion-proof equipment.

Avoid contact during pregnancy/while nursing. Do not breathe mist or vapor. Do not taste or swallow. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure.

Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

Level 3 Aerosol.

Store locked up. Keep away from heat, sparks and open flame. Eliminate sources of ignition.

Keep container tightly closed. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Keep in an area equipped with sprinklers.

8. Exposure controls/personal protection

Occupational exposure limits

| US. OSHA Table Z-1 | Limits for | Air Contami | nants (29 | CFR 1 | 910.1000) |
|--------------------|------------|-------------|-----------|-------|-----------|
| | | | | | |

| Components | Туре | Value | |
|-------------------------------|------|------------|--|
| Carbon Dioxide (CAS 124-38-9) | PEL | 9000 mg/m3 | |
| | | 5000 ppm | |
| Isopropanol (CAS 67-63-0) | PEL | 980 mg/m3 | |
| | | 400 ppm | |
| N-Hexane (CAS 110-54-3) | PEL | 1800 mg/m3 | |
| , | | 500 ppm | |
| Pentane (CAS 109-66-0) | PEL | 2950 mg/m3 | |
| , | | 1000 ppm | |
| | | | |

| Components | Туре | Value | |
|-----------------------------------|---------------|-------------|--|
| 2-Methylpentane (CAS 107-83-5) | STEL | 1000 ppm | |
| | TWA | 500 ppm | |
| Carbon Dioxide (CAS 124-38-9) | STEL | 30000 ppm | |
| , | TWA | 5000 ppm | |
| sopropanol (CAS 67-63-0) | STEL | 400 ppm | |
| | TWA | 200 ppm | |
| N-Hexane (CAS 110-54-3) | TWA | 50 ppm | |
| Pentane (CAS 109-66-0) | TWA | 1000 ppm | |
| JS. NIOSH: Pocket Guide to Cher | nical Hazards | | |
| Components | Туре | Value | |
| Carbon Dioxide (CAS 124-38-9) | STEL | 54000 mg/m3 | |
| | | 30000 ppm | |
| | TWA | 9000 mg/m3 | |
| | | 5000 ppm | |
| sopropanol (CAS 67-63-0) | STEL | 1225 mg/m3 | |
| | | 500 ppm | |
| | TWA | 980 mg/m3 | |
| | | 400 ppm | |
| J-Hexane (CAS 110-54-3) | TWA | 180 mg/m3 | |
| | | 50 ppm | |
| Pentane (CAS 109-66-0) | Ceiling | 1800 mg/m3 | |
| | | 610 ppm | |
| | TWA | 350 mg/m3 | |
| | | | |

Biological limit values

| Components | Value | Determinant | Specimen | Sampling Time |
|---------------------------|----------|---|----------|---------------|
| Isopropanol (CAS 67-63-0) | 40 mg/l | Acetone | Urine | * |
| N-Hexane (CAS 110-54-3) | 0.4 mg/l | 2,5-Hexanedio n, without hvdrolvsis | Urine | * |

^{* -} For sampling details, please see the source document.

Exposure guidelines

US - California OELs: Skin designation

N-Hexane (CAS 110-54-3)

Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

N-Hexane (CAS 110-54-3)

Can be absorbed through the skin.

Appropriate engineering

controls

Explosion-proof general and local exhaust ventilation. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles). Eye wash fountain is recommended.

Skin protection

Hand protection

For prolonged or repeated skin contact use suitable protective gloves. Chemical resistant gloves

are recommended.

Respiratory protection

No personal respiratory protective equipment normally required. Use a NIOSH/MSHA approved

Thermal hazards None

respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.

mormar nazaras

Other

None known.

beneral hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing and protective equipment to remove contaminants.

Avoid contact with the skin. Wear appropriate chemical resistant clothing.

9. Physical and chemical properties

Appearance

Liquid.

Physical state

Gas.

Form

Aerosol.

Color

Clear water-white

Odor

Solvent.

Odor threshold

Not available.

Outil tim

рН

Not available.

Melting point/freezing point

Not available.

Initial boiling point and boiling

140.9 °F (60.5 °C) dispensed liquid

range

< 1.4 °F (< -17.0 °C) Tag Closed Cup

Evaporation rate

Flash point

< 1 (Ethyl Ether = 1)

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit - upper

7 %

0.6 %

(%)

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

352.53 mm Hg @ 38ºC

Vapor density

-3 (air = 1)

Relative density

Not available.

Solubility(ies)

Solubility (water)

< 10 % w/w

artition coefficient

> 1

(n-octanol/water)

Auto-ignition temperature

582.8 °F (306 °C)

Decomposition temperature

Not available.

Viscosity

< 3 cSt @ 25ºC

Other information

Heat of combustion

> 30 kJ/g

Percent volatile

100 %

Specific gravity

0.64 - 0.67 @ 20ºC

voc

96.2 % per U.S, State and Federal Consumer Product Regulations; 669 g/L per SCAQMD Rule 102

10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Risk of ignition. Instability caused by elevated temperatures.

Possibility of hazardous

No dangerous reaction known under conditions of normal use.

reactions

Avoid temperatures exceeding the flash point.

Incompatible materials

Conditions to avoid

Strong oxidizing agents. Isocyanates. Acids. Chlorine.

Hazardous decomposition

Carbon oxides.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation

Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Skin contact

Causes skin irritation. Frequent or prolonged contact may defat and dry the skin, leading to

discomfort and dermatitis.

Eye contact

Causes serious eye irritation.

Ingestion

May cause discomfort if swallowed.

Symptoms related to the physical, chemical and pxicological characteristics

Skin irritation. Defatting of the skin. Irritating to eyes and respiratory system. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Symptoms of overexposure may be

headache, dizziness, tiredness, nausea and vomiting.

Information on toxicological effects

Acute toxicity
Components

Narcotic effects.

Isopropanol (CAS 67-63-0)

Species

Test Results

21101 (0710 07

<u>Acute</u>

Oral

LD50

50 Rat

4.7 g/kg

N-Hexane (CAS 110-54-3)

<u>Acute</u>

Dermal

LD50

50 Rabbit

> 2000 mg/kg, 4 Hours

Pentane (CAS 109-66-0)

<u>Acute</u>

Oral

LD50

Rat

> 2000 mg/kg

Skin corrosion/irritation

Serious eye damage/eye

Causes serious eye irritation.

Causes skin irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization

This product is not expected to cause skin sensitization.

derm cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

ACGIH Carcinogens

Isopropanol (CAS 67-63-0)

A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Narcotic effects.

Specific target organ toxicity -

Specific target orga

Not classified.

repeated exposure

Aspiration hazard

Chronic effects

None known.

Further information

None known.

12. Ecological information

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Not likely, due to the form of the product.

Components

Species

Test Results

Isopropanol (CAS 67-63-0)

Aquatic

Fish

LC50

Bluegill (Lepomis macrochirus)

> 1400 mg/l, 96 hours

Material name: LPS® CFC Free (Aerosol)

Test Results Components Species

N-Hexane (CAS 110-54-3)

Aquatic

Fish

LC50

Fathead minnow (Pimephales promelas) 2.101 - 2.981 mg/l, 96 hours

ersistence and degradability

Not inherently biodegradable.

Bioaccumulative potential

No data available for this product.

Partition coefficient n-octanol / water (log Kow)

LPS® CFC Free (Aerosol) 2-Methylpentane Isopropanol N-Hexane

> 1 3.74 0.05 3.9

3.39

Pentane Mobility in soil

Readily absorbed into soil.

Other adverse effects

None known.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code

D001: Waste Flammable material with a flash point <140 F

D003: Waste Reactive material

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

OT

UN number

UN1950

UN proper shipping name Transport hazard class(es) Aerosols, flammable

Class

2.1

Subsidiary risk

2.1

Label(s)

Not available.

Packing group **Environmental hazards**

Marine pollutant

No

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Packaging exceptions

306

Packaging non bulk

None

Packaging bulk

None

IATA

UN number

UN1950

UN proper shipping name Transport hazard class(es) Aerosols, flammable

Class

2.1

Subsidiary risk

Packing group

Not available.

Environmental hazards ERG Code

No. 2X

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

Allowed with restrictions.

aircraft

Cargo aircraft only

Allowed with restrictions.

IMDG

UN number

UN1950

UN proper shipping name

AEROSOLS, flammable, MARINE POLLUTANT

Transport hazard class(es)

2.1

Subsidiary risk

Label(s) Packing group

Class

2.1

Not available.

Environmental hazards

Marine pollutant

Yes

EmS

F-D, S-U

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and Not applicable.

the IBC Code



IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

N-Hexane (CAS 110-54-3)

Listed.

Material name: LPS® CFC Free (Aerosol)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

N-Hexane (CAS 110-54-3)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Pentane (CAS 109-66-0)

Safe Drinking Water Act

Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Isopropanol (CAS 67-63-0)

Low priority

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Isopropanol (CAS 67-63-0) N-Hexane (CAS 110-54-3)

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date

05-18-2016

Revision date

08-21-2017

'ersion#

03

Material name: LPS® CFC Free (Aerosol)

SDS US

Disclaimer

evision information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Regulatory Information: Risk Phrases - Labeling

GHS: Classification



Copyright, 2019, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group:

10-5933-6

Version Number:

50.03

Issue Date:

12/10/19

Supercedes Date:

10/16/19

SECTION 1: Identification

1.1. Product identifier

3MTM General Purpose Adhesive Cleaner PN 08984, 08986

Product Identification Numbers

D Number

TIPC

ID Number

UPC

60-4550-3067-0

00-51135-08984-2

60-4550-4586-8

00-51135-08984-2

62-4787-6509-2

00-51135-08984-2

62-4787-8509-0

00-51135-08986-6

62-4787-9509-9

7000000492

1.2. Recommended use and restrictions on use

Recommended use

Automotive, Adhesive Remover

1.3. Supplier's details

MANUFACTURER:

3M

DIVISION:

Automotive Aftermarket

ADDRESS:

3M Center, St. Paul, MN 55144-1000, USA

Telephone:

1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

The label elements below were prepared in accordance with OSHA Hazard Communication Standard, 29 CFR 1910.1200. This information may be different from the actual product label information for labels regulated by other agencies.

1. Hazard classification

rlammable Liquid: Category 2.

Serious Eye Damage/Irritation: Category 2B.

Skin Corrosion/Irritation: Category 2.

Aspiration Hazard: Category 1.

Reproductive Toxicity: Category 1B.

Carcinogenicity: Category 2.

Specific Target Organ Toxicity (single exposure): Category 1.

Specific Target Organ Toxicity (single exposure): Category 3.

Specific Target Organ Toxicity (repeated exposure): Category 1.

2.2. Label elements

Signal word

Danger

Symbols

Flame | Exclamation mark | Health Hazard |

Pictograms







Hazard Statements

Highly flammable liquid and vapor.

Causes eye irritation.

Causes skin irritation.

May be fatal if swallowed and enters airways.

May cause drowsiness or dizziness.

May damage fertility or the unborn child.

Suspected of causing cancer.

Causes damage to organs:

sensory organs

Causes damage to organs through prolonged or repeated exposure:

nervous system

May cause damage to organs through prolonged or repeated exposure:

sensory organs

Precautionary Statements

General:

Keep out of reach of children.

Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

keep container tightly closed.

Use explosion-proof electrical/ventilating/lighting equipment.

Do not breathe dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves and eye/face protection.

Do not eat, drink or smoke when using this product.

Wash thoroughly after handling.

Response:

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention.

Do NOT induce vomiting.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF exposed or concerned: Get medical advice/attention.

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to

extinguish.

Storage:

Store in a well-ventilated place. Keep cool.

Keep container tightly closed.

Store locked up.

Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

SECTION 3: Composition/information on ingredients

| Ingredient | C.A.S. No. | % by Wt |
|--|------------|------------------------|
| Hydrotreated Light Naphtha (Petroleum) | 64742-49-0 | 30 - 60 Trade Secret * |
| Xylene | 1330-20-7 | 30 - 60 Trade Secret * |
| Ethylbenzene | 100-41-4 | 5 - 10 Trade Secret * |
| Toluene | 108-88-3 | < 0.5 Trade Secret * |
| Benzene | 71-43-2 | < 0.1 Trade Secret * |

^{*}The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Tye Contact:

hmediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

If Swallowed:

Do not induce vomiting. Get immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide Carbon dioxide Condition

During Combustion During Combustion

5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and revent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Cover spill area with a fire-extinguishing foam. An appropriate aqueous film forming foam (AFFF) is recommended. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not use in a confined area with minimal air exchange. Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use

only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) Wear low static or properly grounded shoes. Use personal protective equipment (gloves, respirators, etc.) as required. To minimize the risk of ignition, determine applicable electrical classifications for the process using this product and select specific local exhaust ventilation equipment to avoid flammable vapor accumulation. Ground/bond container and receiving equipment if there is potential for static electricity accumulation during transfer.

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Protect from sunlight. Store away from heat. Store away from oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available

for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|--------------|------------|--------|---|-----------------------------------|
| Ethylbenzene | 100-41-4 | ACGIH | TWA:20 ppm | A3: Confirmed animal carcin. |
| Ethylbenzene | 100-41-4 | OSHA | TWA:435 mg/m3(100 ppm) | |
| Toluene | 108-88-3 | ACGIH | TWA:20 ppm | A4: Not class. as human carcin |
| Toluene | 108-88-3 | OSHA | TWA:200 ppm;CEIL:300 ppm | |
| Xylene | 1330-20-7 | ACGIH | TWA:100 ppm;STEL:150 ppm | A4: Not class. as human carcin |
| Xylene | 1330-20-7 | OSHA | TWA:435 mg/m3(100 ppm) | |
| Naphtha | 64742-49-0 | OSHA | TWA:400 mg/m3(100 ppm) | |
| Benzene | 71-43-2 | ACGIH | TWA:0.5 ppm;STEL:2.5 ppm | SKIN, A1: Confirmed human carcin. |
| Benzene | 71-43-2 | OSHA | TWA:1 ppm;TWA:10 ppm;STEL:5 ppm;CEIL:25 ppm | 29 CFR 1910.1028 |

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

OSHA: United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment. Use explosion-proof ventilation equipment.

2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect Vented Goggles

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended: Fluoroelastomer

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid
Color Colorless

Odor Sharp Odor, Aromatic Solvent

Odor thresholdNo Data AvailablepHNot ApplicableMelting pointNot Applicable

Melting pointNot ApplicableBoiling Point245 °F

Flash Point 52 °F [Test Method: Closed Cup]
Evaporation rate 52 °F [Test Method: Closed Cup]
Approximately 7.1 [Ref Std: ETHER=1]

Flammability (solid, gas)

Flammable Limits(LEL)

Approximately 7.1 [Ref Stat. ETHER-1]

Not Applicable

0.90 % volume

Flammable Limits(UEL)

6.00 % volume

Vapor Pressure

15 mmHg [Details: CONDITIONS: @ 100]

Vapor Pressure15 mmHg [Details: CONDITIONS: @ 100F]Vapor Density>=3.00 [Ref Std: AIR=1]

Density 0.808 g/ml

Specific Gravity0.808 [Ref Std: WATER=1]Solubility in WaterNegligible

Solubility- non-water

Partition coefficient: n-octanol/ water

Autoignition temperature

Decomposition temperature

No Data Available
No Data Available
No Data Available

Viscosity

3 centipoise [Test Method: Brookfield]

Hazardous Air Pollutants

3 44 lb HAPS/gal [Test Method: Calculated]

Hazardous Air Pollutants 3.44 lb HAPS/gal [Test Method:Calculated]
Molecular weight No Data Available

Volatile Organic Compounds

808 g/l [Test Method:calculated SCAQMD rule 443.1]

Volatile Organic Compounds

100.0 % weight [Test Method:calculated per CARB title 2]

Percent volatile 100 % weight

VOC Less H2O & Exempt Solvents 808 g/l [Test Method:calculated SCAQMD rule 443.1]

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat

Sparks and/or flames

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Substance

None known.

Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

May be harmful if inhaled.

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

May cause additional health effects (see below).

Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

Tye Contact:

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion:

Chemical (Aspiration) Pneumonitis: Signs/symptoms may include coughing, gasping, choking, burning of the mouth, difficulty breathing, bluish colored skin (cyanosis), and may be fatal.

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

Additional Health Effects:

Single exposure may cause target organ effects:

Auditory Effects: Signs/symptoms may include hearing impairment, balance dysfunction and ringing in the ears.

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Prolonged or repeated exposure may cause target organ effects:

Auditory Effects: Signs/symptoms may include hearing impairment, balance dysfunction and ringing in the ears.

Neurological Effects: Signs/symptoms may include personality changes, lack of coordination, sensory loss, tingling or numbness of the extremities, weakness, tremors, and/or changes in blood pressure and heart rate.

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

| Ingredient | CAS No. | Class Description | Regulation |
|--------------|----------|--------------------------------|---|
| Benzene | 71-43-2 | Grp. 1: Carcinogenic to humans | International Agency for Research on Cancer |
| Benzene | 71-43-2 | Known human carcinogen | National Toxicology Program Carcinogens |
| Benzene | 71-43-2 | Cancer hazard | OSHA Carcinogens |
| Ethylbenzene | 100-41-4 | Grp. 2B: Possible human carc. | International Agency for Research on Cancer |

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|--|-----------------------------------|---------|--|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Inhalation- Vapor(4 hr) | | No data available; calculated ATE20 - 50 mg/l |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Hydrotreated Light Naphtha (Petroleum) | Dermal | Rabbit | LD50 > 3,160 mg/kg |
| Hydrotreated Light Naphtha (Petroleum) | Inhalation- Vapor (4 hours) | Rat | LC50 > 14.7 mg/l |
| Hydrotreated Light Naphtha (Petroleum) | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Xylene | Dermal | Rabbit | LD50 > 4,200 mg/kg |
| Xylene | Inhalation- Vapor (4 hours) | Rat | LC50 29 mg/l |
| Xylene | Ingestion | Rat | LD50 3,523 mg/kg |
| Ethylbenzene | Dermal | Rabbit | LD50 15,433 mg/kg |
| Bthylbenzene | Inhalation- Vapor (4 hours) | Rat | LC50 17.4 mg/l |
| Ethylbenzene | Ingestion | Rat | LD50 4,769 mg/kg |
| Toluene | Dermal | Rat | LD50 12,000 mg/kg |
| Toluene | Inhalation- Vapor (4 hours) | Rat | LC50 30 mg/l |
| Toluene | Ingestion | Rat | LD50 5,550 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|--|---------|---------------|
| Hydrotreated Light Naphtha (Petroleum) | Rabbit | Irritant |
| Xylene | Rabbit | Mild irritant |
| Ethylbenzene | Rabbit | Mild irritant |
| Toluene | Rabbit | Irritant |

Serious Eve Damage/Irritation

| Name | Species | Value | |
|--|---------|-------------------|--|
| Hydrotreated Light Naphtha (Petroleum) | Rabbit | Mild irritant | |
| Xylene | Rabbit | Mild irritant | |
| Ethylbenzene | Rabbit | Moderate irritant | |
| Toluene | Rabbit | Moderate irritant | |

Skin Sensitization

| Name | Species | Value |
|--|---------|----------------|
| Hydrotreated Light Naphtha (Petroleum) | Guinea | Not classified |
| | pig | |
| Ethylbenzene | Human | Not classified |
| Toluene | Guinea | Not classified |
| | pig | · |

Respiratory Sensitization
For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|--|----------|--|
| Hydrotreated Light Naphtha (Petroleum) | In Vitro | Not mutagenic |
| Xylene | In Vitro | Not mutagenic |
| Xylene | In vivo | Not mutagenic |
| Ethylbenzene | In vivo | Not mutagenic |
| Ethylbenzene | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Toluene | In Vitro | Not mutagenic |
| Toluene | In vivo | Not mutagenic |

Carcinogenicity

| Name | Route | Species | Value |
|--|------------|-------------------------------|--|
| Hydrotreated Light Naphtha (Petroleum) | Inhalation | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Xylene | Dermal | Rat | Not carcinogenic |
| Xylene | Ingestion | Multiple animal species | Not carcinogenic |
| Xylene | Inhalation | Human | Some positive data exist, but the data are not sufficient for classification |
| Ethylbenzene | Inhalation | Multiple animal species | Carcinogenic |
| Toluene | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Toluene | Ingestion | Rat | Some positive data exist, but the data are not sufficient for classification |
| Toluene | Inhalation | Mouse | Some positive data exist, but the data are not sufficient for classification |

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test Result | Exposure Duration |
|--------------|------------|--|-------------------------------|------------------------|------------------------------|
| Xylene | Inhalation | Not classified for female reproduction | Human | NOAEL Not available | occupational exposure |
| Xylene | Ingestion | Not classified for development | Mouse | NOAEL Not available | during organogenesi s |
| Xylene | Inhalation | Not classified for development | Multiple animal species | NOAEL Not available | during gestation |
| Ethylbenzene | Inhalation | Not classified for development | Rat | NOAEL 4.3 mg/l | premating & during gestation |
| Toluene | Inhalation | Not classified for female reproduction | Human | NOAEL Not available | occupational exposure |
| Toluene | Inhalation | Not classified for male reproduction | Rat | NOAEL 2.3 mg/l | 1 generation |
| Toluene | Ingestion | Toxic to development | Rat | LOAEL 520 mg/kg/day | during gestation |
| Toluene | Inhalation | Toxic to development | Human | NOAEL Not available | poisoning and/or abuse |

Lactation

| Name | Route | Species | Value |
|----------|-----------|---------|--|
| / Xylene | Ingestion | Mouse | Not classified for effects on or via lactation |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|---|------------|--------------------------------------|--|-----------------------------------|------------------------|----------------------|
| Hydrotreated Light Naphtha (Petroleum) | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| Hydrotreated Light Naphtha (Petroleum) | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| Hydrotreated Light Naphtha (Petroleum) | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Professio nal judgeme nt | NOAEL Not available | |
| Xylene | Inhalation | auditory system | Causes damage to organs | Rat | LOAEL 6.3 mg/l | 8 hours |
| Xylene | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | |
| Xylene | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | |
| Xylene | Inhalation | eyes | Not classified | Rat | NOAEL 3.5 mg/l | not available |
| Xylene | Inhalation | liver | Not classified | Multiple animal species | NOAEL Not available | |
| Xylene | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Multiple animal species | NOAEL Not available | |
| Xylene | Ingestion | eyes | Not classified | Rat | NOAEL 250 mg/kg | not applicable |
| Ethylbenzene | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | |
| Ethylbenzene | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for | Human and | NOAEL Not available | |

| | | | classification | animal | | |
|---------|------------|--------------------------------------|--|--------|------------------------|---------------------------|
| Toluene | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | |
| Toluene | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | |
| Toluene | Inhalation | immune system | Not classified | Mouse | NOAEL 0.004 mg/l | 3 hours |
| Toluene | Ingestion | central nervous | May cause drowsiness or dizziness | Human | NOAEL Not available | poisoning and/or abuse |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|--------------|------------|--|--|-------------------------------|-----------------------------|----------------------|
| Xylene | Inhalation | nervous system | Causes damage to organs through prolonged or repeated exposure | Rat | LOAEL 0.4 mg/l | 4 weeks |
| Xylene | Inhalation | auditory system | May cause damage to organs though prolonged or repeated exposure | Rat | LOAEL 7.8 mg/l | 5 days |
| Xylene | Inhalation | liver | Not classified | Multiple animal species | NOAEL Not available | |
| Xylene | Inhalation | heart endocrine system gastrointestinal tract hematopoietic system muscles kidney and/or bladder respiratory system | Not classified | Multiple animal species | NOAEL 3.5 mg/l | 13 weeks |
| Xylene | Ingestion | auditory system | Not classified | Rat | NOAEL 900 mg/kg/day | 2 weeks |
| Xylene | Ingestion | kidney and/or bladder | Not classified | Rat | NOAEL 1,500 mg/kg/day | 90 days |
| Xylene | Ingestion | liver | Not classified | Multiple animal species | NOAEL Not available | |
| Xylene | Ingestion | heart skin endocrine system bone, teeth, nails, and/or hair hematopoietic system immune system nervous system respiratory system | Not classified | Mouse | NOAEL 1,000 mg/kg/day | 103 weeks |
| Ethylbenzene | Inhalation | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 1.1 mg/l | 2 years |
| Ethylbenzene | Inhalation | liver | Some positive data exist, but the data are not sufficient for classification | Mouse | NOAEL 1.1 mg/l | 103 weeks |
| Ethylbenzene | Inhalation | hematopoietic system | Not classified | Rat | NOAEL 3.4 mg/l | 28 days |
| Ethylbenzene | Inhalation | auditory system | Not classified | Rat | NOAEL 2.4 mg/l | 5 days |
| Ethylbenzene | Inhalation | endocrine system | Not classified | Mouse | · NOAEL 3.3 mg/l | 103 weeks |
| Ethylbenzene | Inhalation | gastrointestinal tract | Not classified | Rat | NOAEL 3.3 mg/l | 2 years |
| Ethylbenzene | Inhalation | bone, teeth, nails, and/or hair muscles | Not classified | Multiple animal species | NOAEL 4.2 mg/l | 90 days |
| Ethylbenzene | Inhalation | heart immune system respiratory system | Not classified | Multiple animal species | NOAEL 3.3 mg/l | 2 years |

| Ethylbenzene | Ingestion | liver kidney and/or bladder | Not classified | Rat | NOAEL 680 mg/kg/day | 6 months |
|--------------|------------|---|--|-------------------------------|-----------------------------|---------------------------|
| Toluene | Inhalation | auditory system eyes olfactory system | Causes damage to organs through prolonged or repeated exposure | Human | NOAEL Not available | poisoning and/or abuse |
| Toluene | Inhalation | nervous system | May cause damage to organs though prolonged or repeated exposure | Human | NOAEL Not available | poisoning and/or abuse |
| Toluene | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 2.3 mg/l | 15 months |
| Toluene | Inhalation | heart liver kidney and/or bladder | Not classified | Rat | NOAEL 11.3 mg/l | 15 weeks |
| Toluene | Inhalation | endocrine system | Not classified | Rat | NOAEL 1.1 mg/l | 4 weeks |
| Toluene | Inhalation | immune system | Not classified | Mouse | NOAEL Not available | 20 days |
| Toluene | Inhalation | bone, teeth, nails, and/or hair | Not classified | Mouse | NOAEL 1.1 mg/l | 8 weeks |
| Toluene | Inhalation | hematopoietic system vascular system | Not classified | Human | NOAEL Not available | occupational exposure |
| Toluene | Inhalation | gastrointestinal tract | Not classified | Multiple animal species | NOAEL 11.3 mg/l | 15 weeks |
| Toluene | Ingestion | nervous system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 625 mg/kg/day | 13 weeks |
| Toluene | Ingestion | heart | Not classified | Rat | NOAEL 2,500 mg/kg/day | 13 weeks |
| Toluene | Ingestion | liver kidney and/or bladder | Not classified | Multiple animal species | NOAEL 2,500 mg/kg/day | 13 weeks |
| Toluene | Ingestion | hematopoietic system | Not classified | Mouse | NOAEL 600 mg/kg/day | 14 days |
| Toluene | Ingestion | endocrine system | Not classified | Mouse | NOAEL 105 mg/kg/day | 28 days |
| Toluene | Ingestion | immune system | Not classified | Mouse | NOAEL 105 mg/kg/day | 4 weeks |

Aspiration Hazard

| 120011 41010 114241 4 | AD DIE WOOM I I REAL II | | | | |
|--|-------------------------|--|--|--|--|
| Name | Value | | | | |
| Hydrotreated Light Naphtha (Petroleum) | Aspiration hazard | | | | |
| Xylene | Aspiration hazard | | | | |
| Ethylbenzene | Aspiration hazard | | | | |
| Toluene | Aspiration hazard | | | | |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material nd/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. Facility must be capable of handling aerosol cans. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transport Information

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact 3M for more information.

EPCRA 311/312 Hazard Classifications:

| ĺ | Physical | Hazards |
|---|----------|---------|
| П | | ~~~~~~ |

Flammable (gases, aerosols, liquids, or solids)

Health Hazards

Aspiration Hazard

Carcinogenicity

Reproductive toxicity

Serious eye damage or eye irritation

Skin Corrosion or Irritation

Specific target organ toxicity (single or repeated exposure)

Section 313 Toxic Chemicals subject to the reporting requirements of that section and 40 CFR part 372 (EPCRA):

| Ingredient | <u>C.A.S. No</u> | <u>% by Wt</u> | | |
|--------------|------------------|----------------|------|----|
| Xylene | 1330-20-7 | Trade Secret | 30 - | 60 |
| Ethylbenzene | 100-41-4 | Trade Secret | 5 - | 10 |

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 2 Flammability: 3 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

HMIS Hazard Classification

Health: *4 Flammability: 3 Physical Hazard: 0 Personal Protection: X - See PPE section.

Hazardous Material Identification System (HMIS® IV) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® IV ratings are to be used with a fully implemented HMIS® IV program. HMIS® is a registered mark of the American Coatings Association (ACA).

Document Group:

10-5933-6

Version Number:

50.03

Issue Date:

12/10/19

Supercedes Date:

10/16/19

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® GLASS & MORE MULTI-SURFACE

Version 1.4

Print Date 10/02/2020

Revision Date 06/20/2019

SDS Number 350000014153

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name

: WINDEX® GLASS & MORE MULTI-SURFACE

Recommended use

: Hard Surface Cleaner

Restrictions on use

: Use only as directed on label

Manufacturer, importer,

supplier

: S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

Telephone

: +1-800-558-5252

Emergency telephone

number

: 24 Hour Medical Emergency Phone: (866)231-5406

24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

Precautionary statements

Other hazards

None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product does not contain hazardous chemicals at or above a reportable level as defined by OSHA 29 CFR 1910.1200

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® GLASS & MORE MULTI-SURFACE

Version 1.4

Print Date 10/02/2020

Revision Date 06/20/2019

SDS Number 350000014153

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

: Wash thoroughly after handling.

Environmental precautions

Outside of normal use, avoid release to the environment.

Methods and materials for containment and

cleaning up

: Dike large spills.

Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Avoid contact with skin, eyes and clothing.

For personal protection see section 8.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection

against fire and explosion

: Normal measures for preventive fire protection.

Storage

Requirements for storage

areas and containers

: Keep container closed when not in use.

Other data : Stable under normal conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Personal protective equipment

Respiratory protection

: No special requirements.

Hand protection

No special requirements.

Eye protection

No special requirements.

Skin and body protection

: No special requirements.

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® GLASS & MORE MULTI-SURFACE

Version 1.4

Print Date 10/02/2020

Revision Date 06/20/2019

SDS Number 350000014153

Relative density

: 1.00 g/cm3 at 25 C

Solubility(ies)

: soluble

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

Auto-ignition temperature

: Test not applicable for this product type

Decomposition temperature: Heating can release hazardous gases.

Viscosity, dynamic

: similar to water

Viscosity, kinematic

: similar to water

Oxidizing properties

: Test not applicable for this product type

Volatile Organic

Compounds Total VOC (wt. %)* : 0.2 % - additional exemptions may apply

*as defined by US Federal and State Consumer Product

Regulations

Other information

: None identified

10. STABILITY AND REACTIVITY

Reactivity

: No dangerous reaction known under conditions of normal use.

Chemical stability

: Stable under recommended storage conditions.

Possibility of hazardous

reactions

: If accidental mixing occurs and toxic gas is formed, exit area

immediately. Do not return until well ventilated.

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® GLASS & MORE MULTI-SURFACE

Version 1.4

Print Date 10/02/2020

Revision Date 06/20/2019

SDS Number 350000014153

| Reproductive toxicity | No classification proposed | - |
|--|----------------------------|---|
| Specific target organ toxicity - single exposure | No classification proposed | - |
| Specific target organ toxicity - repeated exposure | No classification proposed | - |
| Aspiration hazard | No classification proposed | - |

Aggravated Medical : None known. Condition

12. ECOLOGICAL INFORMATION

Product: The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

No environmental data required.

Other adverse effects

: None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® GLASS & MORE MULTI-SURFACE

Version 1.4

Print Date 10/02/2020

Revision Date 06/20/2019

SDS Number 350000014153

16. OTHER INFORMATION

| HMIS Ratings | | |
|--------------|---|--|
| Health | 1 | |
| Flammability | 0 | |
| Reactivity | 0 | |
| NFPA Ratings | | |
| Health | 1 | |
| Fire | 0 | |
| Reactivity | 0 | |
| Special | - | |

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

| Prepared by | SC Johnson Global Safety Assessment & | |
|-------------|---------------------------------------|--|
| | Regulatory Affairs (GSARA) | |